

# Draped Sweater



## SIZES

Sweater is sized to fit Women's X-Small (Small, Medium, Large, 1X, 2X)

## KNITTED MEASUREMENTS

- Bust 34 (38, 42, 46, 50, 54)"
- Length 21½ (21½, 22½, 23, 24, 25)"
- Upper Arm

## MATERIALS

- 8 (8, 9, 10, 11, 12) 85g (150 yd) skeins, **Caron International Simply Soft Shadows** (100% acrylic) color Autumn #0004
- Key Plate: USM/ISM KP#2.5 OR SIZE NEED TO OBTAIN GAUGE
- Suitable for USM/ISM/Bond Classic or 6.5 to 9mm knitting machine

## ADDITIONAL SUPPLIES

- waste yarn (WY), transfer tool, latch hook tool, size H US crochet hook, yarn needle

## GAUGE

- 16 sts and 23 rows = 4" in St st
- 12 st cable = 2½" wide

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

## STITCH PATTERNS

**1X1 Rib** (mult of 2 sts + 1)

**Cable** (multiple of 20 (20, 21, 22, 23, 24 sts) – see Chart

**St st** knit side = RS

## DESIGNER NOTES

- Directions are for the Ultimate Sweater Machine®
- Back is worked from lower edge to shoulders.
- Fronts are worked from side to side.
- Yarn has subtle stripes; stripes will not match on side seams as Back and Fronts are knit in different directions.
- While working shaping on Front, keep Cables lined up; work all increased sts in St st.
- **NEEDLES REQUIRED** 69 (77, 85, 93, 101, 109)
- Mark machine bed for 20 (20, 21, 22, 23, 24) st rep of Cable pat.

## BACK


Using KP#2.5 and chain st CO Method, CO 69 (77, 85, 93, 101, 109) sts. COR. RC=000. K to RC=004. Starting on St 3 (both sides), drop down (3 ladders) and latch up every other st to make 1x1 rib. Change to St st. K to RC=074 (074, 080, 080, 084, 086). Reset RC = 000.

## Shape Armholes

BO 3 (3, 4, 5, 6, 7) sts beg next 2 R, 2 (3, 3, 4, 5, 6) sts beg next 2 R. Dec 1 st ea side EOR 5 (6, 7, 7, 7, 7) times - 49 (53, 57, 61, 65, 69) sts rem. K to RC=046 (046, 046, 050, 052, 54).

## Shape Shoulders

BO 5 (6, 6, 7, 7, 8) sts beg next 2 R. BO 5 (5, 6, 6, 7, 8) sts beg next 2 R - 29 (31, 33, 35, 37, 37) sts rem. BO rem sts neck.



## LEFT FRONT

Knit from side to side with all shaping done on right-hand side only.

Using KP#2.5 and chain st CO Method, CO 78 (78, 82, 84, 88, 92) sts. COR. RC=000. Follow #2 as for Back for 1x1 rib. Change to St st. K to RC=008.

## Establish Pattern

Begin Cable patt, R 1, starting first cable on Sts 3 – 6 on LH side; work repeat 3 times, Sts 1 – 12 once, rem sts in St st.

## Shape Neck

Cont in Cable pat. Inc 1 st on RH side this row, then every R 2 of pat 7 times—86 (86, 90, 92, 96, 100) sts. K to RC=058 (060, 062, 062, 064, 064). Place marker for beg of shoulder shaping. Discontinue Cable pat and cont in St st.

## Shape Shoulder

K 1 row. Dec 1 st on RH side of next row. K 6 (6, 8, 8, 10, 10) R. Dec 1 st on RH side of next row - 84 (84, 88, 90, 94, 98) sts. K to RC=072 (076, 078, 082, 084, 086).

## Shape Armhole



**Next row:** COR. BO 24 (24, 22, 24, 24, 28) sts - 60 (60, 66, 66, 70, 70) sts rem. Dec 1 st on right side every row 8 (8, 10, 10, 10, 10) times - 52 (52, 56, 56, 60, 60) sts rem. K 6 (8, 10, 12, 16, 18) R. RC=086 (092, 098, 104, 110, 114). BO.

## RIGHT FRONT

Work as for left Front, reversing all shaping.

## SLEEVES

Using KP#2.5 and chain stitch CO Method, CO 37 (39, 41, 43, 45, 47) sts. COR. RC=000. Follow #2 as for Back for 1x1 rib. Change to St st. Inc 1 st ea side every 12 R, 6 (6, 6, 6, 7, 8) times - 49 (51, 53, 55, 59, 63) sts. K to



RC=098 (100, 104, 106, 106, 106).

### Shape Cap

BO 3 (3, 4, 5, 6, 7) sts beg next 2 R, 2 (3, 3, 4, 5, 6) sts beg next 2 R - 39 (39, 39, 37, 37, 37). Dec 1 st ea side EOR 5 (6, 6, 7, 7, 7) times, then every 3 (3, 3, 4, 4, 4) rows 6 times, and then EOR 2(2, 2, 0, 0, 0) times. RC=130 (134, 138, 144, 144, 144) - 13 (11, 11, 11, 11, 11) sts rem. BO rem sts loosely.


### COLLAR

The shaping is worked on RH side only. Using KP#2.5 and chain stitch CO Method, CO 39 sts. COR. RC=000. Follow #2 as for Back for 1x1 rib. Change to St st. Dec 1 st on RH side of next row and then on RH side of every 4 rows 15 times - 23 sts rem. K to RC=075. Place a marker on RH side for Back neck. Reset RC=000. K to RC=042 (044, 048, 050, 054, 056). Reset RC=000. K 10 R. Inc. 1 st on RH side of next row and then on RH side of every 4 rows 15 times - 39 sts. K to RC 072. Work 3 rows 1x1 rib. BO loosely.

### FINISHING

Sew shoulder seams. Set in sleeves; sew side and sleeve seams. With RS of Collar facing WS of garment, sew Collar around neck shaping, easing to fit. Turn Collar to RS of garment. With RS of Collar facing, using crochet hook,

### CABLE CHART



### KEY

□ = Stockinette Stitch

▧ = 4 st right cable

X-Small  
Small  
Medium  
Large  
X-Large

join yarn with a slip st to outside edge of left Front Collar; ch 1, work 1 row sc evenly around outer edge of Collar, do NOT turn. Working from left to right, work 1 row reverse sc along same edge. Using yarn needle, weave in ends.

### CARE OF GARMENT

1. MACHINE WASH and DRY INSTRUCTIONS: Machine Wash, warm water, gentle cycle.

Machine Dry, low heat, delicate cycle.

2. HAND WASHING and DRYING: Wash gently in warm water using a mild detergent. Gently rinse well in cold water. Lay flat on a towel and roll in towel to remove excess water.

DO NOT WRING, STRETCH OR HANG TO DRY.

Designed by Kathy Perry for Caron International.